Built-in
Innovation
2013

LIEBHERR

Quality, Design and Innovation

IKBP 3554

Innovative concepts, superb quality and exceptional design: the new built-in range for 2013

The 2013 built-in range offers inspiring new concepts, elegant design and outstanding quality, fulfilling the very highest criteria for custom-designed kitchens. Bringing together first-class components, meticulous workmanship, easy-to-use precision electronics, and leading-edge manufacturing processes we guarantee produce freshness, user friendliness, and energy efficiency. All Liebherr's new built-in appliances, with precision electronics and optimised refrigeration technology, fall into the top energy efficiency classes of A++ or A+++.
The BioFresh range delivers impeccable and lasting freshness. NoFrost models provide professional-standard performance and give long-lasting freshness.

IK 1950

Ten good reasons to choose Liebherr.

1 Experience counts

Liebherr is a specialist in refrigeration and freezer technology, and has been developing and producing pioneering product solutions for almost 60 years. No other refrigeration appliance manufacturer secures greater brand loyalty from its customers than Liebherr, and knowing this motivates us to keep on delivering appliances that merit their confidence and trust.

2 Optimum product quality

To guarantee consistent product quality, Liebherr always uses the very best materials and components in the manufacture of its appliances. Every appliance is tested for quality and functionality during manufacture. Continual product development, optimised components, and superb workmanship ensure that Liebherr's reputation for quality and long-lasting appliances is never in doubt.

3 Classic design

Liebherr refrigerators and freezers meet outstanding design criteria by combining excellent materials (premium-quality stainless steel, precision electronics, and exquisite GlassLine fittings) with classic contours, to produce a timeless elegance.

4 Four-point attachment – for perfect integration

Liebherr guarantees the secure, durable and fault-free installation of its appliances into a fitted kitchen. All door-on-door appliances come with a special four-point attachment as standard. The attachment points are discretely concealed. The attachment brackets create a depth stop at the top and bottom. This insertion restriction ensures optimum appliance alignment and positioning in the unit. Taller appliances, with a niche of 140 cm or higher, also have two height adjustable positioning feet at the front and two levelling bars on the left/right of the floor area. This enables users to optimally position the refrigerator so that the door closes perfectly and optimal refrigeration performance is achieved.

5 Environmentally friendly

Liebherr takes environmental responsibility seriously, and our ActiveGreen philosophy is applied right from the beginning of appliance development. Not only does Liebherr use the highest-quality components to build appliances that are reliable, durable and energy efficient, but also Liebherr ensures all plastics are labelled for optimum recycling. Further, all manufacturing processes are designed to use resources efficiently, e.g. heat generated during manufacture is recycled as heat energy. All European manufacturing sites are certified in accordance with the international environmental management standard ISO 14001.

6 Outstanding energy efficiency

With innovative precision electronics and unequalled refrigeration performance, Liebherr offers highly economical appliances across its product range. All product groups feature models that fall into the top energy efficiency class A+++, providing great savings all round.

7 BioFresh – definitely healthier

BioFresh provides the perfect climate for long-lasting freshness. When stored at a temperature slightly above 0 °C and at the correct humidity level, fruit and vegetables, meat, fish and dairy products all retain their vitamin content, delicate flavour and appetising appearance for significantly longer than in a standard refrigerator.

8 NoFrost – professional refrigeration quality

No more defrosting: Liebherr's NoFrost technology provides rapid, fan-assisted, frost-free freezing that gives professional-standard, long term freshness. Food is frozen by chilled circulating air and humidity is expelled, ensuring that the freezer remains ice-free and preventing produce from frosting over.

9 Award-winning

Again and again, the superiority of Liebherr appliances in terms of quality and design is confirmed by independent organisations. At the Plus X Awards Liebherr was voted 'Leading brand 2012' and, in 2011, the under-worktop refrigerator UIK 1550 was awarded for its ease of use. The built-in fridge-freezer ICBN 3066 won first place in the 'Live Better' competition, and the German consumer association Stiftung Warentest rated the IKP 1760 and IKP 1554 as 'excellent', and the ICBP 3166 as 'good' when testing for the best built-in fridge-freezer combinations.

PLUS X AWARD LIEBHERR FACHHANDELS MARKE DES JAHRES 2012

PLUS X AWARD LIEBHERR Bedienkomfort

Stiftung Warentest test SEHR GUT (1,2) Liebherr IKP 1760

Stiftung Warentest test SEHR GUT (1,5) Liebherr IKP 1554

Stiftung Warentest test GUT (1,7) Liebherr ICBP 3166

10 The broadest product range

With its range of over 250 models, whether freestanding, under-worktop or built-in, Liebherr provides the perfect solution for food storage and freshness for almost every customer with its refrigerators, freezers and combined fridge-freezers.

ActiveGreen technology for refrigerators and freezers

Liebherr takes environmental responsibility seriously, and so the focus on ActiveGreen begins during the design of refrigerators and freezers. Not only does Liebherr use extremely high-quality components to ensure its appliances function reliably and durably, and offer superb energy efficiency, but also all plastics used are labelled for optimum recycling. In addition, manufacturing processes are tailored to use resources efficiently, e.g. heat naturally generated during the manufacture processes is recycled as heating energy. And, all European Liebherr production sites are certified to the international environmental management standard ISO 14001.

ECBN 6156

Extra-wide BioFresh food storage centre

The new 90-cm-wide, built-in BioFresh fridge-freezer ECBN 6156 PremiumPlus (net capacity 480 litres) is a real eye-catcher! Available with door-on-door installation that gives customised integration into existing kitchen units, and two freezer drawers that easily extend on premium-quality telescopic rails, this built-in masterpiece is a design highlight for any kitchen.

The large refrigerator compartment and adjacently arranged BioFresh drawers, together with the NoFrost freezer compartment offer optimum storage for all types of food. The integral IceMaker supplies ice cubes for every occasion, whilst the integrated water filter ensures optimum ice quality.

Also available: ECBN 5066, 76 cm wide, with net capacity of 387 litres.

Versatile bottle shelf

PremiumPlus electronics with touch control

BioFresh for perfect quality & freshness

The freshness of food plays an important role in our health and well-being. Nature provides us with a wonderful array of vital nutrients: vitamins and minerals, and carbohydrates that give us energy, stamina and improve our mood. Foods maintain their freshness and flavour only when stored in the right climate and at the correct humidity. Liebherr's BioFresh Premium and Comfort appliances provide just that perfect climate for long-lasting freshness.



Premium door-on-door

· Fridge-freezers for integrated use

		ICBN 3356
		ICBN 3366
		ICBN 3314

· Refrigerators for integrated use

IKB 2350	IKBP 2750	IKBP 3554
		IKB 3550
		IKB 3510

ICBP 3256

Outstanding freshness with BioFresh

BioFresh safes provide the perfect storage climate for you to enjoy long-lasting freshness. When stored at a temperature slightly above 0 °C and at the correct humidity level, fruit and vegetables, meat, fish and dairy products all retain their vitamin content, delicate flavour and appetising appearance for significantly longer than in a standard refrigerator. The DrySafe, with a low humidity level, is ideal for storing meat, fish and milk products. The HydroSafe offers the perfect storage climate for fruit and vegetables. If needed the HydroSafe can also be used as a DrySafe using the controls integrated into the divider. The safes themselves can be pulled out and removed at a door-opening angle of 90°.

DrySafe: dairy products

Low humidity plus a temperature just above freezing are ideal for storing dairy products. The BioFresh-DrySafe constantly maintains this climate.

Tip: remove cheese from the fridge one to two hours before consumption so it can develop its full flavour at room temperature.

DrySafe: meat and fish

Meat and fish retain their delicate flavour and appetising appearance much longer when stored at low humidity and at a temperature slightly above 0 °C.

The BioFresh-Safes can be used as either a HydroSafe or a DrySafe by adjusting the humidity control panel. (model specific). Meat and fish should remain wrapped when stored in the DrySafe.

HydroSafe: fruit and vegetables

Fruit and vegetables are best stored in the HydroSafe, which has a higher humidity level. Precision electronics maintain the temperature very accurately at slightly above 0 °C, so that frosting of food is prevented.

Fruit and vegetables should be unwrapped before storage in the HydroSafe.

Long-lasting freshness – practical BioFresh safes

BioFresh safes in the Premium range appliances are fully extendable and benefit from SoftTelescopic, a highly convenient, self-retracting and soft closing mechanism. LED lighting integrated into the partition above the BioFresh compartments illuminates the inside of the BioFresh safes to their best advantage when they are pulled out. The BioFresh safes are extremely easy to clean due to their one-piece design.

The bottle shelf that sits over the BioFresh safes in the Premium range is a versatile and innovative feature – it can be used as such or an integrated glass shelf can be positioned to provide an alternative storage surface.

In the Comfort range, the BioFresh safes extend effortlessly on telescopic rails.

Versatile bottle shelf

BioFresh safes with SoftTelescopic

LED interior highlights

LED lighting housing in Comfort models

LED BioFresh lighting

LED lighting in freezer compartment

Premium BioFresh appliances feature two integrated lighting columns on the left and right, each of which incorporates multiple LEDs to evenly illuminate the interior. A special satin-finish on the light cover creates an appealing and sophisticated lighting ambience. At the same time, the lighting columns also facilitate the variable positioning of the glass shelves. On opening the appliance the light intensity increases softly creating a very pleasing effect. In the Comfort BioFresh appliances, the LED lighting unit is integrated into the side of the inner compartment.

BioFresh safes in the Premium models come with central LED lighting for an optimum view of the food stored. The LEDs are integrated into the partition plate to evenly and brightly illuminate the extended BioFresh safes from directly above.

The built-in fridge-freezers in the Premium range also have LED lighting in the freezer compartment. An LED lighting strip is positioned above the freezer drawers to illuminate the transparent drawers when they are pulled out and give an even better view of the food stored.

LED lighting column

Superb quality, practical – the versatile new interior

The new VarioSafe in Premium BioFresh models provides a clear view whilst creating order. It is the ideal space for smaller food packets, tubes and jars. The safe can be positioned at various levels on the lighting column. An additional insertion height is available for filling to a greater capacity if necessary.

The interior GlassLine fittings are stylishly designed and are of excellent quality. The door shelves on Premium models come furnished with a satin-finished safety glass base, elegant plastic surround, stainless steel rails, and a bottle shelf with an adjustable bottle holder. In addition the doors of this range are fitted with two different-sized, removable, transparent VarioBoxes with lids.

Comfort models come with Comfort GlassLine – superior glass fittings for the door interior. The shelves used to store preserves and bottles are fitted with a satin-finished safety glass base and an attractive plastic surround with an adjustable bottle holder.

Both Comfort GlassLine and Premium GlassLine door shelves are height adjustable.

Premium-GlassLine

Comfort-GlassLine

VarioSafe

Premium range
door-on-door models

During design of the new Premium door-on-door range particular attention was given to energy efficiency levels and user- friendliness. Keynote features of this range include new touch electronics, LED lighting and state-of-the-art GlassLine door interiors and shelves. Details such as SoftSystem closing, the versatile bottle shelf and the large, telescopic fruit and vegetable bin (on some models) round off the high-quality fittings.



Premium door-on-door

· Fridge-freezers for integrated use

ICN 3366

ICN 3356

· Refrigerators for integrated use

IK 1950 | IK 2350 | IK 2750 | IK 2754

IKP 2350

LED interior highlights

Premium appliances come with an LED lighting column, which incorporates multiple LEDs to evenly illuminate the appliance interior. A special satin-finish on the light cover creates an appealing and sophisticated lighting effect. The lighting column also facilitates the variable positioning of the glass shelves. On opening the appliance the light intensity increases softly creating a very pleasing effect.

The built-in fridge-freezers in the Premium range also have LED lighting in the freezer compartment. A LED lighting strip is positioned above the freezer drawers and IceMaker to illuminate the transparent drawers when they are pulled out and give an even better view of food stored.

On all Premium models with niches of 122 cm or higher, the fruit and vegetable bins have additional lighting to improve viewing stored foods. The LED lighting is integrated in the compartment side with an elegant and flush finish.

LED unilateral lighting column

LED lighting for freezer compartment

LED lighting for fruit and vegetable bin

Chic elegance – interior fittings

Premium GlassLine door fittings

VarioBoxes

Fruit and vegetable bin on telescopic rails

The Premium GlassLine fittings are both stylish design and high quality. The door shelves feature a satin-finished safety glass base, elegant plastic surround, stainless steel rails, and bottle shelf with adjustable bottle holder. In addition the doors are fitted with two different-sized, removable, transparent VarioBoxes with lids.

The satin-finished glass shelves in the interior have a new trim; made from stainless steel it matches the door fittings.

Premium appliances with a niche of 122 cm or higher come with a large, fully transparent fruit and vegetable bin set on smooth-running telescopic rails, making its everyday use simple, practical and a joy. Even with a large or heavy load, the bin can be easily and safely pulled out and pushed in.
It can also be pulled out and removed when the door is open at a 90° angle, and it is extremely easy to clean due to its one-piece design.

Outstanding convenience, impressive detailing

The innovative electronic controls on Premium models ensure that the selected temperature is accurately maintained. Thanks to the ingenious touch interface, all functions can be set with ease. The temperature in the refrigeration and freezer compartments can be read from the MagicEye digital display on the LCD.

The bottle shelf is a practical and stylish solution for drinks storage.

During day-to-day use the SoftSystem closing mechanism increases convenience and is a welcome touch. The SoftSystem, integrated into the door, cushions door closure ensuring soft closing even with fully loaded door shelves. In built-in appliances the door will close automatically from an opening angle of approx. 30°. The white finish on the soft closing system matches the door interior for a uniform appearance.

Bottle shelf

SoftSystem closing mechanism

Premium electronics with touch control

Reliable, long-lasting freshness

Liebherr's NoFrost technology provides professional-standard performance that guarantees long-lasting freshness. Chilled circulating air freezes the food and humidity is expelled so that the freezer is always ice-free and produce never frosts over. NoFrost means no more defrosting.

The IceMaker, with its own water tank, makes perfect ice cubes every time. With a 1.2 litre capacity, the water tank is a clever solution if the mains water quality is poor or if the appliance is not plumbed-in. The tank can easily be removed for filling, and the addition of a handgrip makes this very straightforward. Whether you want a refreshing drink or to throw a party, the IceMaker is just what you need.

NoFrost

Water tank

IceMaker with water tank

ICP 3314

Comfort range of new door-on-door and door slider models



Comfort door-on-door

· Fridge-freezers for integrated use

ICP 3314

· Refrigerators for integrated use

IK 1610 | IK 2310

IK 2314

Comfort door slider

· Fridge-freezers for integrated use

ICUS 2914 | ICUS 3214

ICUS 3314

ICUNS 3314

ICU 3314

· Refrigerators for integrated use

IKS 1610 | IK 3510

IKS 1614 | IK 3514

Chic elegance – interior fittings

Fruit and vegetable bin on rollers

Comfort GlassLine door fittings

Comfort appliances with a niche of 122 cm or higher come with a large, transparent fruit and vegetable bin. It is extremely spacious and can be easily pulled out and pushed in on rollers (the rollers can be easily removed for cleaning). The drawer itself is extremely easy to clean due to its one-piece design.

Comfort models come with Comfort GlassLine - superior glass fittings for the door interior. The shelves used to store preserves and bottles have a satin-finished safety glass base, and an attractive plastic surround with an adjustable bottle holder.

One half of the divisible glass shelf can slide underneath the other to provide even greater flexibility for food storage. All safety glass shelves can be used at different heights as required.

Divisible glass shelf

Refrigeration technology in detail

Liebherr's NoFrost technology provides professional-standard performance that guarantees long-lasting freshness. Chilled circulating air freezes the food and humidity is expelled so that the freezer is always ice-free and foods never frost over. NoFrost means no more defrosting.

SmartFrost vastly reduces ice build-up in the interior and on frozen foods so that defrosting is required far less often. The interior walls are smooth and easy to clean.

Easy-to-understand and easy-to-read Comfort electronics ensure that selected temperatures are accurately maintained. Settings are conveniently selected using buttons and the refrigeration compartment temperature can be read via the LCD MagicEye display.

High-performance PowerCooling ensures that freshly stored produce is cooled rapidly and that an even refrigeration temperature is maintained throughout the interior. A contact switch on the door turns the fan off when the door is opened, saving valuable energy.

All drawers and the underlying glass dividing shelves can be easily removed from the freezer compartments in all fridge-freezers with NoFrost and SmartFrost – this concept is known as VarioSpace, a practical system that quickly creates extra storage space, and makes it possible to store bulky items.

NoFrost

Comfort electronics with button controls

SmartFrost

PowerCooling system

VarioSpace

Refrigerators with **décor panel**

EK 1610

Comfort

· Refrigerators with décor panel

EK 1610 EK 2310

Chic elegance – interior fittings

Comfort models come with Comfort GlassLine – superior glass fittings for the door interior. The shelves used to store preserves and bottles have a satin-finished safety glass base, and an attractive plastic surround with an adjustable bottle holder.

All Comfort appliances have LED interior compartment lighting with flush integration to guarantee a greater capacity and more storage space. It is positioned centrally to provide optimal illumination for the entire refrigeration compartment.

The Comfort electronics make sure that the selected temperature is accurately maintained. Settings are selected with ease using button controls and the refrigeration compartment temperature can be read from the LCD MagicEye display.

Comfort appliances with a niche of 122 cm have a large, transparent fruit and vegetable bin. It is extremely spacious and can be easily pulled out and pushed in on rollers (these can be easily removed for cleaning).

Comfort GlassLine door fittings

Comfort electronics with button controls

LED lighting housing

Large fruit and vegetable bin on rollers

	. Niche	. Cluster	. Net capacity	. Energy efficiency class	. MagicEye control system	. PowerCooling with fan	. NoFrost/SmartFrost	. IceMaker	. GlassLine door fittings	. LED lighting column	. LED lighting housing	. LED BioFresh lighting	. LED lighting in freezer compartment	. BioFresh-Safes (Dry/Hydro)	. SoftTelescopic	. VarioSafe	. Versatile bottle shelf	. SoftSystem	. Positioning feet and levelling bars
Fridge-freezers with BioFresh for integrated use / door-on-door system																			
ECBN 6156	203 cm	PremiumPlus	480 l	A+	Touch	•	NoFrost	Plumbed-in water supply	Premium	Both sides		•	•	0/2			•		
ECBN 5066	203 cm	PremiumPlus	452 l	A++	Touch	•	NoFrost	Plumbed-in water supply	Premium	Both sides		•	•	0/2			•		
ICBN 3366	178 cm	Premium	239 l	A++	Touch	•	NoFrost	Plumbed-in water supply	Premium	Both sides		•	•	1/1	•		•	•	•
ICBN 3356	178 cm	Premium	242 l	A++	Touch	•	NoFrost		Premium	Both sides		•	•	1/1	•		•	•	•
ICBN 3314	178 cm	Comfort	242 l	A++	Buttons	•	NoFrost		Comfort		•			1/1					•
Refrigerators with BioFresh for integrated use / door-on-door system																			
IKBP 3554	178 cm	Premium	291 l	A+++	Touch	•			Premium	Both sides		•		1/2	•	•	•	•	•
IKB 3550	178 cm	Premium	308 l	A++	Touch	•			Premium	Both sides		•		1/2	•	•	•	•	•
IKB 3510	178 cm	Comfort	308 l	A++	Buttons	•			Comfort		•			2/1					•
IKBP 2750	140 cm	Premium	236 l	A+++	Touch	•			Premium	Both sides		•		1/1	•	•	•	•	•
IKB 2350	122 cm	Premium	200 l	A++	Touch	•			Premium	Both sides		•		1/1	•		•	•	

IKBP 2354

	. Niche	. Cluster	. Net capacity	. Energy efficiency class	. MagicEye control system	. PowerCooling with fan	. NoFrost/SmartFrost	. IceMaker	. GlassLine door fittings	. LED lighting column	. LED lighting housing	. LED lighting in fruit and vegetable bin	. LED lighting in freezer compartment	. Fruit and vegetable bin on rollers	. Fruit and vegetable bin on telescopic rails	. SoftSystem	. Positioning feet and levelling bars
Fridge-freezers for integrated use / door-on-door system																	
ICN 3366	178 cm	Premium	256 l	A++	Touch	•	NoFrost	Water tank	Premium	One-sided		•	•		•	•	•
ICN 3356	178 cm	Premium	261 l	A++	Touch	•	NoFrost		Premium	One-sided		•	•		•	•	•
ICP 3314	178 cm	Comfort	281 l	A++	Buttons	•	SmartFrost		Comfort		•			•			•
ICU 3314	178 cm	Comfort	281 l	A++	Buttons	•	SmartFrost		Comfort		•						•
Fridge-freezers for integrated use / door slider system																	
ICUNS 3314	178 cm	Comfort	262 l	A++	Buttons	•	NoFrost		Comfort		•			•			•
ICUS 3314	178 cm	Comfort	281 l	A++	Buttons	•	SmartFrost*		Comfort		•			•			•
ICUS 2914	158 cm	Comfort	247 l	A++	Buttons		SmartFrost		Comfort		•			•			•

* 3 freezer compartment drawers ** 2 freezer compartment drawers

Touch controls

Button controls

PowerCooling with fan

NoFrost Premium

NoFrost Comfort

SmartFrost

IceMaker

Water tank

Premium GlassLine door fittings

Comfort GlassLine door fittings

LED lighting column

LED lighting housing

LED BioFresh

LED freezer compartment

LED fruit and vegetable bin

BioFresh-Safes

SoftTelescopic

SoftSystem

Fruit and vegetable bin on rollers

Fruit and vegetable bin on telescopic rails

VarioSafe

Versatile bottle shelf

Bottle shelf

Levelling bars

ICP 2914

	. Niche	. Cluster	. Net capacity	. Energy efficiency class	. MagicEye control system	. PowerCooling with fan	. GlassLine door fittings	. LED lighting column	. LED lighting housing	. LED lighting in fruit and vegetable bin	. Fruit and vegetable bin on rollers	. Fruit and vegetable bin on telescopic rails	. Bottle shelf	. SoftSystem	. Positioning feet and levelling bars
Refrigerators for integrated use / door-on-door system															
IK 2750	140 cm	Premium	258 l	A++	Touch	•	Premium	One-sided		•		•	•	•	•
IK 2754	140 cm	Premium	241 l	A++	Touch		Premium	One-sided		•		•	•	•	•
IK 2350	122 cm	Premium	222 l	A++	Touch		Premium	One-sided		•		•	•	•	
IK 2310	122 cm	Comfort	223 l	A++	Buttons		Comfort		•		•				
IK 2314	122 cm	Comfort	205 l	A++	Buttons		Comfort		•		•				
IK 1950	102 cm	Premium	186 l	A++	Touch		Premium	One-sided						•	
IK 1610	88 cm	Comfort	154 l	A++	Buttons		Comfort		•						
Refrigerators for integrated use / door slider system															
IKS 1610	88 cm	Comfort	154 l	A++	Buttons		Comfort		•						
IKS 1614	88 cm	Comfort	136 l	A++	Buttons		Comfort		•						
IK 3510	178 cm	Comfort	334 l	A++	Buttons	•	Comfort		•			•	•		•
IK 3514	178 cm	Comfort	314 l	A++	Buttons	•	Comfort		•			•	•		•
Refrigerators with décor panel															
EK 2310	122 cm	Comfort	223 l	A++	Buttons		Comfort		•		•				
EK 1610	88 cm	Comfort	154 l	A++	Buttons		Comfort		•						

IK 2750

Subject to modification.
Printed in Germany by Raff Media Group GmbH.
7945 346-00/4.0/10.2012

Coolectric LTD, Interchange Point, Renny Park Road, Newport Pagnell, Bucks, MK16 0HA
National Salesline: 08444 122655 • National Free Fax: 0800 197 6591
Email: sales@coolectric.co.uk • Web: www.myliebherr.co.uk